



Part Number	Description	List Price
Video Server		
Single Channel, No Audio		
SED-2120	MPEG-4 Video Server supports up to Full D1 resolution, w/ Power Adapter, ACTi Streaming Activator S/W	\$ 519.00
Single Channel, With Two-Way Audio		
SED-2140	MPEG-4 Video Server supports up to Full D1 resolution, w/ two-way audio, Power Adapter, ACTi Streaming Activator S/W	\$ 629.00
SED-2140T	MPEG-4 Video Server supports up to Full D1 resolution, w/ two-way audio, Power Adapter, ACTi Streaming Activator S/W, Extended temperature	\$ 669.00
Single Channel with Quad, Two-way Audio		
SED-2320Q	MPEG-4 Quad Processor Integrated Video Server, supports up to Full D1 resolution, w/ two-way audio, Power Adapter, ACTi Streaming Activator S/W	\$ 629.00
SED-2320QT	MPEG-4 Video Server supports up to Full D1 resolution, w/ two-way audio, Power Adapter, ACTi Streaming Activator S/W, Extended temperature	\$ 789.00
Two Independent Channels, Two-way Audio		
SED-2420	2-channel MPEG-4 Video Server supports up to Full D1 resolution, w/ two-way audio, Power Adapter, BNC connectors, ACTi Streaming Activator S/W	\$ 789.00
Eight Independent Channel, Two-way Audio		
SED-2610	8-channel MPEG-4 Video Server supports up to Full D1 resolution, w/ two-way audio, Power Supply, ACTi Streaming Activator S/W	\$ 3,449.00
Entry-Level Video Server		
Single Channel, With Two-Way Audio		
ACD-2100	1-channel MPEG-4 Video Server supports up to Full D1 resolution, w/ two-way audio, Power Supply, BNC connectors, ACTi Streaming Activator S/W	\$ 319.00
Four Independent Channel, Four Two-way Audio		
ACD-2200	4-channel MPEG-4 Video Server supports up to Full D1 resolution, w/ two-way audio, Power Supply, BNC connectors, ACTi Streaming Activator S/W	\$ 1,049.00
Transcoder		
No Audio		
SED-3300	MPEG-4 Transcoder supports up to full D1 video resolution for regular TV system and digital TV, w/ Power Adapter	\$ 519.00
With two-way Audio		
SED-3320	MPEG-4 Transcoder supports up to full D1 video resolution for regular TV system and digital TV, w/ two-way audio, Power Adapter	\$ 629.00
Entry-Level IP Cube Camera		
Indoor		
Super CMOS		
ACM-4100	Low-Cost MPEG-4 Indoor IP Cube Camera supports up to VGA resolution w/ two-way audio, Micron Super CMOS module, f3.8mm/F2.0, DC3.3V, Power Adapter, ACTi Streaming Activator S/W	\$ 209.00
Entry-Level IP Bullet Camera		
Indoor		
Super CMOS		
ACM-1100N	Entry-level MPEG-4 Indoor IP Bullet Camera supports up to VGA resolution w/ two-way audio, Micron Super CMOS module, f3.8mm/F2.0, DC12V, Power Adapter, ACTi Streaming Activator S/W, w/o IR	\$ 309.00
ACM-1101N	Entry-level MPEG-4 Indoor IP Bullet Camera supports up to VGA resolution w/ two-way audio, Micron Super CMOS module, f3.8mm/F2.0, PoE, Power Adapter, ACTi Streaming Activator S/W, w/o IR	\$ 349.00
ACM-1111N	Entry-level MPEG-4 Indoor IR Day and Night IP Bullet Camera supports up to VGA resolution w/ two-way audio, Micron Super CMOS module, f3.8mm/F2.0, PoE, Mechanical IR Cut Filter, Power Adapter, ACTi Streaming Activator S/W	\$ 399.00
CCD		
ACM-1311N	Entry-level MPEG-4 Indoor IR IP Bullet Camera supports up to Full D1 resolution, w/ two-way audio, 420 TV line, Sony SuperHAD CCD Module, f4.3mm/ F2.0, PoE, Power Adapter, ACTi Streaming Activator S/W	\$ 479.00
Outdoor		
CCD		
ACM-1431N	Entry-level MPEG-4 Outdoor IR IP Bullet Camera supports up to Full D1 resolution, w/ two-way audio, 540 TV line, Sony SuperHAD CCD module, f3.8 ~ 9.5mm/ F1.2, PoE, Power Adapter, ACTi Streaming Activator S/W, IP-66	\$ 699.00
ACM-1432N	Entry-level MPEG-4 Outdoor IR IP Bullet Camera supports up to Full D1 resolution, w/ two-way audio, 540 TV line, Sony SuperHAD CCD module, f3.8 ~ 9.5mm/ F1.2, AC24V, Power Adapter (DC12V), ACTi Streaming Activator S/W, IP-66	\$ 699.00
Entry-Level IP Dome camera		
Indoor		
Super CMOS		
ACM-3100N	Entry-level MPEG-4 Indoor IP 3" Dome Camera supports up to VGA resolution w/ two-way audio, Micron Super CMOS module, f3.6mm/ F2.0, DC12V, Power Adapter, ACTi Streaming Activator S/W, w/o IR	\$ 319.00
ACM-3101N	Entry-level MPEG-4 Indoor IP 3" Dome Camera supports up to VGA resolution w/ two-way audio, Micron Super CMOS module, f3.8mm/ F2.0, PoE, Power Adapter, ACTi Streaming Activator S/W, w/o IR	\$ 339.00
ACM-3101N	Entry-level MPEG-4 Indoor IP 3" Dome Camera supports up to VGA resolution w/ two-way audio, Micron Super CMOS module, f3.6mm/ F2.0, PoE, Power Adapter, ACTi Streaming Activator S/W, w/o IR	\$ 359.00
ACM-3111N	Entry-level MPEG-4 Indoor IR Day and Night IP 3" Dome Camera supports up to VGA resolution w/ two-way audio, Micron Super CMOS module, f3.6mm/ F2.0, PoE, Mechanical IR Cut Filter, Power Adapter, ACTi Streaming Activator S/W	\$ 359.00

CCD		
ACM-3211N	Entry-level MPEG-4 Indoor IR IP Dome Camera, with special ball-type camera dock for free movement, supports up to Full D1 resolution, w/ two-way audio, 420 TV line, Sony SuperHAD CCD Module, f4.3mm/ F2.0, PoE, Power Adapter, ACTi Streaming Activator S/W	\$ 459.00
ACM-3311N	Entry-level MPEG-4 Indoor IR IP 3" Dome Camera supports up to Full D1 resolution, w/ two-way audio, 420 TV line, Sony SuperHAD CCD Module, f4.3mm/ F2.0, PoE, Power Adapter, ACTi Streaming Activator S/W	\$ 459.00
IP Box Camera		
With 1-way audio (Built-in microphone)		
CAM-5200N	MPEG-4 NTSC/PAL IP Camera supports up to Full D1 resolution, w/ one-way audio, 480 TV line, Sony SuperHAD CCD module, DC12V, Power Adapter, ACTi Streaming Activator S/W	\$ 569.00
CAM-5201N	MPEG-4 NTSC/PAL IP Camera supports up to Full D1 resolution, w/ one-way audio, 480 TV line, Sony SuperHAD CCD module, PoE, Power Adapter, ACTi Streaming Activator S/W	\$ 609.00
CAM-5220N	MPEG-4 NTSC/PAL Day and Night IP Camera supports up to Full D1 resolution, w/ one-way audio, 480 TV line, Sony Exview CCD module, DC12V, Power Adapter, ACTi Streaming Activator S/W	\$ 639.00
CAM-5221N	MPEG-4 NTSC/PAL Day and Night IP Camera supports up to Full D1 resolution, w/ one-way audio, 480 TV line, Sony Exview CCD module, PoE, Power Adapter, ACTi Streaming Activator S/W	\$ 679.00
No Audio		
CAM-5300N	MPEG-4 NTSC/PAL IP Camera supports up to Full D1 resolution, w/ 480 TV line, Sony SuperHAD CCD module, DC12V, Power Adapter, ACTi Streaming Activator S/W	\$ 529.00
CAM-5301N	MPEG-4 NTSC/PAL IP Camera supports up to Full D1 resolution, w/ 480 TV line, Sony SuperHAD CCD module, PoE, Power Adapter, ACTi Streaming Activator S/W	\$ 569.00
CAM-5320N	MPEG-4 NTSC/PAL Day and Night IP Camera supports up to Full D1 resolution, w/ 480 TV line, Sony Exview CCD module, DC12V, Power Adapter, ACTi Streaming Activator S/W	\$ 589.00
CAM-5321N	MPEG-4 NTSC/PAL Day and Night IP Camera supports up to Full D1 resolution, w/ 480 TV line, Sony Exview CCD module, PoE, Power Adapter, ACTi Streaming Activator S/W	\$ 639.00
CAM-5322N	MPEG-4 NTSC/PAL Day and Night IP Camera supports up to Full D1 resolution, w/ 480 TV line, Sony Exview CCD module, AC24V, Power Adapter (DC12V), ACTi Streaming Activator S/W	\$ 639.00
IP Fixed Dome		
Indoor		
CAM-7200N	MPEG-4 NTSC/PAL Indoor IP Dome Camera, supports up to Full D1 resolution, w/ one-way audio, 480 TV Line, Sony SuperHAD CCD module, DC12V, Power Adapter, 3.8-9.5mm Lens, ACTi Streaming Activator S/W, Surface Mount (other mounting option available)	\$ 669.00
CAM-7201N	MPEG-4 NTSC/PAL Indoor IP Dome Camera, supports up to Full D1 resolution, w/ one-way audio, 480 TV Line, Sony SuperHAD CCD module, PoE, Power Adapter, 3.8-9.5mm Lens, ACTi Streaming Activator S/W, Surface Mount (other mounting option available)	\$ 719.00
CAM-7220N	MPEG-4 NTSC/PAL Indoor Day and Night IP Dome Camera, supports up to Full D1 resolution, w/ one-way audio, 480 TV Line, Sony Exview CCD module, DC12V, Power Adapter, 3.8-9.5mm Lens, ACTi Streaming Activator S/W, Surface Mount (other mounting option available)	\$ 829.00
CAM-7221N	MPEG-4 NTSC/PAL Indoor Day and Night IP Dome Camera, supports up to Full D1 resolution, w/ one-way audio, 480 TV Line, Sony Exview CCD module, PoE, Power Adapter, 3.8-9.5mm Lens, ACTi Streaming Activator S/W, Surface Mount (other mounting option available)	\$ 879.00
Outdoor		
CAM-7300N	MPEG-4 NTSC/PAL Outdoor IP Rugged Dome Camera, supports up to Full D1 resolution, w/ two-way audio, 540 TV Line, Sony SuperHAD CCD module, DC12V, Power Adapter, 3.8-9.5mm Lens, ACTi Streaming Activator S/W, Surface Mount (other mounting option available), Vandal Proof, IP-66	\$ 909.00
CAM-7301N	MPEG-4 NTSC/PAL Outdoor IP Rugged Dome Camera, supports up to Full D1 resolution, w/ two-way audio, 540 TV Line, Sony SuperHAD CCD module, PoE, Power Adapter, 3.8-9.5mm Lens, ACTi Streaming Activator S/W, Surface Mount (other mounting option available), Vandal Proof, IP-66	\$ 959.00
CAM-7302N	MPEG-4 NTSC/PAL Outdoor IP Rugged Dome Camera, supports up to Full D1 resolution, w/ two-way audio, 540 TV Line, Sony SuperHAD CCD module, AC24V, Power Adapter (DC12V), 3.8-9.5mm Lens, ACTi Streaming Activator S/W, Surface Mount (other mounting option available), Vandal Proof, IP-66	\$ 1,009.00
CAM-7320N	MPEG-4 NTSC/PAL Outdoor Day and Night IP Rugged Dome Camera, supports up to Full D1 resolution, w/ two-way audio, 540 TV Line, Sony Exview CCD module, DC12V, Power Adapter, 3.8-9.5mm Lens, ACTi Streaming Activator S/W, Surface Mount (other mounting option available), Vandal Proof, IP-66	\$ 1,059.00
CAM-7321N	MPEG-4 NTSC/PAL Outdoor Day and Night IP Rugged Dome Camera, supports up to Full D1 resolution, w/ two-way audio, 540 TV Line, Sony Exview CCD module, PoE, Power Adapter, 3.8-9.5mm Lens, ACTi Streaming Activator S/W, Surface Mount (other mounting option available), Vandal Proof, IP-66	\$ 1,109.00
CAM-7322N	MPEG-4 NTSC/PAL Outdoor Day and Night IP Rugged Dome Camera, supports up to Full D1 resolution, w/ two-way audio, 540 TV Line, Sony Exview CCD module, AC24V, Power Adapter (DC12V), 3.8-9.5mm Lens, ACTi Streaming Activator S/W, Surface Mount (other mounting option available), Vandal Proof, IP-66	\$ 1,159.00
IP Speed Dome		
Indoor Only		
CAM-6500N	MPEG-4 NTSC/PAL Indoor IP Speed Dome supports up to Full D1 resolution, w/ two-way Audio, Progressive CCD, Power Adapter, ACTi Streaming Activator S/W, Surface Mount (other mounting options available), 22x Optical zoom	\$ 2,399.00
CAM-6510N	MPEG-4 NTSC/PAL Indoor Day and Night IP Speed Dome supports up to Full D1 resolution, w/ two-way Audio, Sony Exview CCD, Power Adapter, ACTi Streaming Activator S/W, Surface Mount (other mounting options available), 18x Optical zoom, Vandal Proof	\$ 2,739.00
CAM-6520N	MPEG-4 NTSC/PAL Indoor Day and Night IP Speed Dome supports up to Full D1 resolution, w/ two-way Audio, Progressive CCD, Power Adapter, ACTi Streaming Activator S/W, Surface Mount (other mounting options available), 23x Optical zoom, Vandal Proof	\$ 2,949.00

Indoor / Outdoor		
CAM-6600N	MPEG-4 NTSC/PAL Outdoor IP Speed Dome supports up to Full D1 resolution, w/ two-way Audio, Progressive CCD, Power Adapter, ACTi Streaming Activator S/W, Mounting Brackets available, 22x Optical zoom, heater and blower	\$ 2,769.00
CAM-6610N	MPEG-4 NTSC/PAL Outdoor Day and Night IP Speed Dome supports up to Full D1 resolution, w/ two-way Audio, Sony Exview CCD, Power Adapter, ACTi Streaming Activator S/W, Mounting Brackets available, 18x Optical zoom, heater and blower	\$ 3,099.00
CAM-6620N	MPEG-4 NTSC/PAL Outdoor Day and Night IP Speed Dome supports up to Full D1 resolution, w/ two-way Audio, Progressive CCD, Power Adapter, ACTi Streaming Activator S/W, Mounting Brackets available, 23x Optical zoom, heater and blower	\$ 3,429.00
For OEM / ODM and SDK integration		
MPEG-4 IP module (for hardware integration into analog devices such as CCTV cameras or monitors - Requires Hardware Integration).		
SEM-1110	MPEG-4 IP Module supports up to Full D1 resolution, 2-way Audio, w/o casing	\$ 459.00
SEM-1110C	MPEG-4 IP Module supports up to Full D1 resolution, 2-way Audio	\$ 469.00
SEM-1120	MPEG-4 IP Module supports up to Full D1 resolution, w/o casing	\$ 409.00
SEM-1120C	MPEG-4 IP Module supports up to Full D1 resolution	\$ 429.00
EVB-2100	Reference Design I/O Board for SEM-1110x and SEM-1110x and SEM-1120x	\$ 69.00
NVR Software		
APP-2000-16	Network Video Recorder S/W, supports 16 channels	\$ 0.00
APP-2000-32	Network Video Recorder S/W, supports 32 channels	\$ 1,399.00
APP-2000-48	Network Video Recorder S/W, supports 48 channels	\$ 2,219.00
APP-2000-64	Network Video Recorder S/W, supports 64 channels	\$ 2,909.00
Rackmount Kit		
RMK-2000	4U Rackmount Kit for Wall-mount type devices, for all video servers and transcoders except SED-2100R, w/ 8 front bezel	\$ 739.00
R306-00003-000	Front bezel for 2-ch video server, for RMK-2000	\$ 19.00
R306-00004-000	Front bezel for 1-ch video server and transcoder, for RMK-2000	\$ 19.00
R306-00006-000	Front bezel for 1-ch NB2, for RMK-2000	\$ 19.00
R306-00007-000	Blank front bezel for RMK-2000	\$ 19.00
Housing for IP Box Camera		
0692-00001-000	GL-606, Outdoor Housing for CAM-520x, CAM-522x, CAM-530x, and CAM-532x, supports DC12V, IP-66, CE	\$ 69.00
0692-00006-000	GL-606B, Outdoor Housing with blower for CAM-520x, CAM-522x, CAM-530x, and CAM-532x, supports 220V, IP-66, CE	\$ 89.00
0692-00007-000	GL-606HB, Outdoor Housing with blower and heater for CAM-520x, CAM-522x, CAM-530x, and CAM-532x, supports 220V, IP-66, CE	\$ 99.00
0693-00003-000	GL-606H, Outdoor Housing with heater for CAM-520x, CAM-522x, CAM-530x, and CAM-532x, supports 220V, IP-66, CE	\$ 79.00
0692-00009-000	GL-606HB, Outdoor Housing with blower and heater for CAM-520x, CAM-522x, CAM-530x, and CAM-532x, supports AC24V, IP-66, CE	\$ 109.00
Brackets for IP Box Camera		
0695-00004-000	GL-205N, Camera Mounting Bracket for GL-606 series	\$ 39.00
0695-00011-000	GL-201, Camera Mounting Bracket for CAM-520x, CAM-522x, CAM-530x, and CAM-532x	\$ 29.00
69-GL220E-R0	GL220E, Camera Mounting Bracket for ACM-11xx, ACM-13xx, and ACM-14xxx	\$ 29.00
R695-0004-001	GL-205N, Silver Camera Mounting Bracket for ACM-14xx	\$ 39.00
Brackets for CAM-65xx and CAM-66xx		
D77H05-WIMK	Indoor mount kit	\$ 79.00
D77H06-TB	T-Bar ceiling mount bracket	\$ 239.00
D77H05-WPTB	Pole thin mount bracket	\$ 219.00
D77H05-WCTB	Corner thin box bracket	\$ 239.00
D77H05-WWBM	Wall box mount bracket	\$ 139.00
D77H03-WGT	Gooseneck tube	\$ 149.00
D77H03-WST2	50cm straight tube	\$ 109.00
D77H03-WST1	25cm straight tube	\$ 99.00
D77H05-WPTD	Pole thin direct	\$ 99.00
D77H05-WCST	Corner plate	\$ 89.00
D77H07-EPB13	IP-66 Power box for 110~115V AC power box	\$ 239.00
D77H07-EPB23	IP-66 Power box for 220~230V AC power box	\$ 239.00
Brackets for CAM-72xx		
MTB-201	Wall mount bracket for CAM-72xx	\$ 49.00
MTB-503	Flush mount bracket for CAM-72xx	\$ 59.00
Brackets for CAM-73xx		
R695-00020-000	Flush mount bracket for CAM-73xx	\$ 69.00
R695-00019-000	Wall mount bracket for CAM-73xx	\$ 49.00
Dome Cover for CAM-65xx and CAM-66xx		
61-PDH700106A1	5.4" transparent cover for CAM-65xx for spare use	\$ 59.00
61-PDH700108A1	5.4" smok cover for CAM-65xx	\$ 59.00
61-PDH700109A1	Vandal proof cover for CAM-65xx	\$ 59.00
69-DH8111CT1	5.4" clear cover for CAM-66xx for spare use	\$ 119.00
69-DH8111CS1	5.4" smok cover for CAM-66xx	\$ 119.00
69-DH8111CV1	Vandal proof cover for CAM-66xx	\$ 149.00
Control Panel		
0697-00002-000	KB2000-2A, Control Panel for IP speed dome CAM-62xx	\$ 529.00
0697-00003-000	D7312H, Control Panel for IP speed dome CAM-65xx and CAM-66xx	\$ 1,379.00

Precios en Dólares de U.S.A. + 15% de I.V.A.